



## Product List

[www.greenstonepolymer.com](http://www.greenstonepolymer.com)

*Product Data Sheets are available on the web site.*



**GREENSTONE POLYMER SYSTEMS, INC.**  
400 Lombardi Avenue  
Green Bay, WI 54304

Customer Service Team  
Telephone: 920-435-1548  
[info@greenstonepolymer.com](mailto:info@greenstonepolymer.com)

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>100</b> Floor Coating	EPOXY, GENERAL PURPOSE, FLOOR COATING 100% solids, semi-self leveling	10010	CREAM	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10011	CREAM	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10012	DARK GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10013	DARK GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10014	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10015	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10531	GRAY	6 GALLON	3 days	1A, 1B	600 sq. ft. @ 16 mils	56#
		10531	GRAY	15 GALLON	3 days	1A, 1B	1500 sq. ft. @ 16 mils	140#
		10016	LIGHT GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10017	LIGHT GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10018	SAFETY BLUE	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10019	SAFETY GREEN	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10020	SAFETY YELLOW	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10021	TAN	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10022	TAN	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10023	TILE RED	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
10024	TILE RED	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#		
<b>100 CR</b> Floor Coating	NOVOLAC EPOXY, HIGHLY CHEMICAL RESISTANT FLOOR COATING 100% solids, semi-self leveling	10025	CLEAR	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10026	CLEAR	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10029	DARK GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10030	DARK GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10031	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10032	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10035	SAFETY BLUE	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10036	SAFETY GREEN	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10037	SAFETY YELLOW	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10040	TILE RED	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
10041	TILE RED	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#		
<b>100 LT</b> Floor Coating	LOW TEMPERATURE CURE FLOOR COATING 100% solids, semi-self leveling coating, with the ability to cure down to 32°F. Recommended Use - Basecoat / Broadcast / Sealer	10046	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10047	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10052	SAFETY YELLOW	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10055	TILE RED	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10056	TILE RED	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>102</b> Broadcast / Sealer	EPOXY, LOW VISCOSITY, BROADCAST / SEALER 100% solids,	10510	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10511	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
<b>110</b> Surfacer	EPOXY, PIN RAKE APPLIED SURFACER, 60-100 MIL	10057	GRAY	2 BATCH	3 days	2A, 2B, 50#C	125 sq. ft. @ 80 mils	87#
		10058	TILE RED	2 BATCH	3 days	2A, 2B, 50#C	125 sq. ft. @ 80 mils	87#
<b>120</b> Surfacer	EPOXY, PIN RAKE APPLIED BROADCAST SURFACER, 60-100 MIL Part D included. TOPCOAT required, not included	10457	GRAY	2 BATCH	3 days	2A, 2B, 50#C 50#D	125 sq. ft. @ 80 mils	138#
		10458	TILE RED	2 BATCH	3 days	2A, 2B, 50#C 50#D	125 sq. ft. @ 80 mils	138#
<b>130</b> Broadcast Basecoat	EPOXY, GENERAL PURPOSE BROADCAST BASECOAT TOPCOAT required, not included	10059	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10060	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	30#
		10061	Tile Red	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10062	Tile Red	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	30#
<b>133</b> Broadcast Basecoat	EPOXY BROADCAST BASECOAT FOR 133 DECORATIVE BROADCAST SYSTEM	10063	STRAW	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10064	STRAW	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	30#
<b>133</b> Topcoat	EPOXY TOPCOAT FOR 133 DECORATIVE BROADCAST SYSTEM	10065	CLEAR	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10066	CLEAR	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	30#
<b>133 Coving Primer</b>	EPOXY COVING PRIMER FOR 133 DECORATIVE COVING SYSTEM	10067	STRAW	1 QUART	3 days	1A, 1B	100 LF ft. @ 8 mils (6" Cove)	3#
<b>133 Coving</b>	EPOXY COVING MORTAR FOR 133 DECORATIVE COVING SYSTEM - 12# of Colorquartz per batch of 133 Coving - NOT INCLUDED, order separately.	10068	Colorquartz	1 BATCH	3 days	1A, 1B	4" cove - 30LF/batch, 6" cove - 24LF/batch	14#
<b>133 Coving Topcoat</b>	EPOXY COVING TOPCOAT FOR 133 DECORATIVE COVING SYSTEM	10069	CLEAR	1 QUART	3 days	1A, 1B	100 LF ft. @ 8 mils (6" Cove)	3#
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - Gray	10070		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - Red	10071		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - Buff / Brown	10072		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - Buff / Brown / Black	10073		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - Buff / Brown / Red	10074		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - White / Buff / Brown / Red	10075		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - White / Buff / Red / Black	10076		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - Grey / Brown / Black	10077		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - White / Brown / Red	10078		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - White / Buff / Brown / Black	10079		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - White / Grey / Blue / Black	10080		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - White / Grey / Buff / Black	10081		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - White / Grey / Buff / Brown	10082		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
<b>133 Aggregate</b>	Colorquartz Broadcast Aggregate - White / Grey / Green / Black	10083		Price per pound	3 days	1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving		
NOTE: There will be a \$0.10/lb. upcharge for orders of the blended quartz less than 400#. Additional color blends are also available - contact sales for details								

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>140 HS Coating System</b>	HIGH SOLIDS URETHANE COATING SYSTEM, SOLVENT BASED 70% Solids system, Solvent required 10% by volume. UV resistant topcoat / sealer.	10419	BRIGHT WHITE	1 GALLON	5 days	1A, 1B	320 sq. ft. @ 4-6 mils WFT	12#
		10420	BRIGHT WHITE	5 GALLON	5 days	1A, 1B	1600 sq. ft. @ 4-6 mils WFT	48#
		10421	CLEAR	1 GALLON	5 days	1A, 1B	320 sq. ft. @ 4-6 mils WFT	12#
		10422	CLEAR	5 GALLON	5 days	1A, 1B	1600 sq. ft. @ 4-6 mils WFT	48#
		10423	GRAY	1 GALLON	5 days	1A, 1B	320 sq. ft. @ 4-6 mils WFT	12#
		10424	GRAY	5 GALLON	5 days	1A, 1B	1600 sq. ft. @ 4-6 mils WFT	48#
<b>140 HS Solvent</b>	Required - 10% by volume for 140HS..	10425	CLEAR	1 PINT	5 days		10% by volume of the 140 HS	2#
		10426	CLEAR	1 QUART	5 days		10% by volume of the 140 HS	4#
		10427	CLEAR	1 GALLON	5 days		10% by volume of the 140 HS	8#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>150 Coating System</b>	FIBER REINFORCED, EPOXY COATING SYSTEM - GENERAL PURPOSE.	10091	CREAM	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10092	CREAM	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
		10093	DARK GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10094	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10095	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10096	LIGHT GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10097	SAFETY BLUE	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10098	SAFETY GREEN	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10099	SAFETY YELLOW	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10100	TAN	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10101	TILE RED	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
<b>150 CR Coating System</b>	FIBER REINFORCED NOVOLAC EPOXY COATING SYSTEM. Designed for applications up to 120°F.	10102	DARK GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10103	DARK GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
		10104	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10105	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
		10106	CREAM	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10107	CREAM	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
		10108	SAFETY YELLOW	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		<b>150 HT Coating System</b>	HIGH TEMPERATURE RESISTANT, FIBER REINFORCED NOVOLAC EPOXY COATING SYSTEM	10109	DARK GRAY	1 GALLON	3 days	1A, 1B
10110	DARK GRAY			3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
10111	GRAY			1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
10112	GRAY			3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
10113	CREAM			1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
10114	CREAM			3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
10115	SAFETY YELLOW			1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	12#
<b>150 LT Coating System</b>	LOW TEMPERATURE CURE EPOXY REINFORCED COATING SYSTEM Cures at temperatures as low as 32°F.			10116	CREAM	1 GALLON	3 days	1A, 1B
		10118	DARK GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10120	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10121	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10122	LIGHT GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10124	SAFETY BLUE	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10125	SAFETY GREEN	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10126	SAFETY YELLOW	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10127	TAN	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10129	TILE RED	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
<b>150 TFE Coating System</b>	EPOXY REINFORCED COATING SYSTEM Cures at temperatures as low as 32°F.	10488	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10489	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
<b>160 Block Filler</b>	EPOXY, BLOCK AND BUG HOLE FILLER	10131	Gray	1 BATCH	3 days	1A, 1B, 1C	1.5 Gallon Kit - approximately 80 square feet at 30 mils.	20#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>230 Liner</b>	EPOXY, SLURRY LINING SYSTEM, 40-60 mils.	<b>10132</b>	GREY	1 BATCH	3 days	1A, 1B, 1C	113 sq. ft. @ 50 mils	60#
<b>260 Liner</b>	1/8"EPOXY, TROWEL APPLIED LINER PRIMER AND VEILCOAT REQUIRED, not included	<b>10133</b>	CHARCOAL	1 BATCH	3 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	20#
		<b>10134</b>	CHARCOAL	2 BATCH	3 days	1A, 1B, 1C	25 sq. ft. @ 1/8" (125 mils)	40#
<b>260 Primer</b>	EPOXY PRIMER for 260 LINER	<b>10135</b>	STRAW	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
<b>260 Veilcoat</b>	EPOXY VEILCOAT for 260 LINER	<b>10137</b>	STRAW	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
		<b>10138</b>	STRAW	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	16#
<b>260 CR Liner</b>	1/8" HIGH TEMPERATURE NOVOLAC EPOXY, TROWEL APPLIED LINER CR PRIMER AND CR VEILCOAT REQUIRED, not included	<b>10139</b>	CHARCOAL	1 BATCH	3 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	20#
		<b>10140</b>	CHARCOAL	2 BATCH	3 days	1A, 1B, 1C	25 sq. ft. @ 1/8" (125 mils)	40#
<b>260 CR Primer</b>	NOVOLAC EPOXY PRIMER for 260 CR LINER	<b>10141</b>	STRAW	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
<b>260 CR Veilcoat</b>	NOVOLAC EPOXY VEILCOAT for 260 CR LINER	<b>10143</b>	STRAW	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
		<b>10144</b>	STRAW	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	16#
<b>260 HT Liner</b>	1/8" HIGH TEMPERATURE NOVOLAC EPOXY, TROWEL APPLIED LINER HT PRIMER AND HT VEILCOAT REQUIRED, not included	<b>10145</b>	CHARCOAL	1 BATCH	3 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	20#
		<b>10146</b>	CHARCOAL	2 BATCH	3 days	1A, 1B, 1C	25 sq. ft. @ 1/8" (125 mils)	40#
<b>260 HT Primer</b>	HIGH TEMPERATURE NOVOLAC EPOXY PRIMER for 260 HT LINER	<b>10147</b>	STRAW	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
<b>260 HT Veilcoat</b>	HIGH TEMPERATURE NOVOLAC EPOXY VEILCOAT for 260 HT LINER	<b>10149</b>	STRAW	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
		<b>10150</b>	STRAW	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	16#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>300 Coving</b>	1/8" EPOXY VERTICAL COVING / RESURFACER	10151	GRAY	1 BATCH	3 days	1A, 1B, 1C	4" cove - 30LF/batch	15#
	PRIMER REQUIRED, not included. TOPCOAT, optional	10152	TILE RED	1 BATCH	3 days	1A, 1B, 1C	6" cove - 24LF/batch	15#
<b>300 Coving Primer</b>	EPOXY PRIMER FOR 300 COVING	10153	STRAW	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	2#
<b>300 Coving Topcoat</b>	EPOXY TOPCOAT FOR 300 COVING	10154	STRAW	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	2#
<b>300 Flex</b>	FLEXIBLE EPOXY EXPANSION JOINT SEALER / FLEXIBLE MEMBRANE Larger packaging is available - contact sales for details.	10155	CLEAR	1 GALLON	3 days	1A, 1B	100sq ft. @ 16 mils.	10#
		10156	GRAY	1 GALLON	3 days	1A, 1B	160 LF-1/4"X1/2"	10#
		10157	TILE RED	1 GALLON	3 days	1A, 1B	80 LF-1/2"X1/2"	10#
<b>301 Penetrating Primer / Sealer</b>	ULTRA LOW VISCOSITY EPOXY PENETRATING PRIMER / SEALER	10529	CLEAR	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	3.5#
		10493	CLEAR	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	14#
		10542	CLEAR	2 GALLON	3 days	1A, 1B	400 sq. ft. @ 8 mils	28#
<b>310 Surfacer</b>	1/8" EPOXY SLURRY / BROADCAST - Moderate Skid Resistance	10158	GRAY	1 BATCH	3 days	4A, 4B, 4C, 1D	125 sq. ft. @ 1/8" (125 mils)	155#
	Trowel Applied, no primer required, Sealer Recommended - 4 Mix Units.	10159	TILE RED	1 BATCH	3 days	4A, 4B, 4C, 1D	125 sq. ft. @ 1/8" (125 mils)	155#
<b>310 CR Surfacer</b>	1/8" NOVOLAC EPOXY SLURRY / BROADCAST - Moderate Slip Resistance	10160	GRAY	1 BATCH	3 days	4A, 4B, 4C, 1D	125 sq. ft. @ 1/8" (125 mils)	155#
	Trowel Applied, no primer required, CR Topcoat Recommended - 4 Mix Units.	10161	TILE RED	1 BATCH	3 days	4A, 4B, 4C, 1D	125 sq. ft. @ 1/8" (125 mils)	155#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>330 Primer</b>	Primer for 330, 330 AR, 330 CR, 330 PT, & 350 GROUT.	10164	AMBER	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	3.5#
		10165	AMBER	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	14#
		10166	AMBER	2 GALLON	3 days	1A, 1B	400 sq. ft. @ 8 mils	28#
<b>330 LT Primer</b>	LT Primer for 330 LT, 350 LT Grout Systems. Cures as low as 32°F.	10181	Amber	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	3.5#
		10182	Amber	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	14#
		10183	Amber	2 GALLON	3 days	1A, 1B	400 sq. ft. @ 8 mils	28#
<b>330 Mortar</b>	1/4" EPOXY, TROWEL APPLIED MORTAR Primer Required, not included. Topcoat Optional.	10167	GRAY	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10168	GRAY	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10169	TILE RED	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10170	TILE RED	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
<b>330 AR Mortar</b>	1/4" EPOXY, ABRASION RESISTANT TROWEL APPLIED MORTAR Reinforced with Silicon Carbide. 330 PRIMER - REQUIRED, not included.	10171	BLACK	1 BATCH	5 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10172	BLACK	3 BATCH	5 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
<b>330 AR / CR Mortar</b>	1/4" EPOXY, ABRASION RESISTANT TROWEL APPLIED MORTAR Reinforced with Silicon Carbide. 330 PRIMER - REQUIRED, not included.	10413	BLACK	1 BATCH	5 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10414	BLACK	3 BATCH	5 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
<b>330 CR Mortar</b>	1/4" NOVOLAC EPOXY, TROWEL APPLIED MORTAR Primer Required, not included. Topcoat Optional.	10175	Gray	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10176	Gray	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10177	Tile Red	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10178	Tile Red	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
<b>330 HT Mortar</b>	1/4" HIGH TEMPERATURE NOVOLAC EPOXY, TROWEL APPLIED MORTAR Primer Required, not included. Topcoat Optional.	10472	Gray	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10473	Gray	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10474	Tile Red	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10475	Tile Red	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
<b>330 LT Mortar</b>	1/4" LOW TEMPERATURE CURE EPOXY, TROWEL APPLIED MORTAR Cures as low as 32°F. Primer Required, not included. Topcoat Optional.	10184	Gray	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10185	Gray	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10186	Tile Red	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10187	Tile Red	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
<b>330 PT Mortar</b>	1/4" EPOXY, POWER TROWELED MORTAR Power Trowel compacted mortar. Primer - REQUIRED, not included. Topcoat Optional.	10190	GRAY	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10191	GRAY	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10192	TILE RED	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10193	TILE RED	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
<b>330 Patch Kit</b>	1/4" EPOXY, TROWEL APPLIED MORTAR - PATCH KIT Single batch of 330, with primer, packaged in a five gallon pail.	10162	GRAY	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
		10163	TILE RED	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
<b>330 CR Patch Kit</b>	1/4" EPOXY, TROWEL APPLIED MORTAR - PATCH KIT Single batch of 3300 CR, with primer, packaged in a five gallon pail.	10173	GRAY	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
		10174	TILE RED	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
<b>330 Fast Cure Patch Kit</b>	1/4" EPOXY, TROWEL APPLIED SURFACER - FAST CURE PATCH KIT Single batch, packaged in a five gallon pail.	10179	GRAY	1 BATCH	3 days	1A, 1B, 1C	10 sq. ft. @ 1/4" (250 mils)	30#
		10180	TILE RED	1 BATCH	3 days	1A, 1B, 1C	10 sq. ft. @ 1/4" (250 mils)	30#
<b>330 LT Patch Kit</b>	1/4" LOW TEMP. CURE EPOXY (32°F), TROWEL APPLIED MORTAR Single batch of 330 LT, with primer, packaged in a five gallon pail.	10188	GRAY	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
		10189	TILE RED	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#



Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>340 Surfacers</b>	1/4" EPOXY, SCREED / PIN RAKE APPLIED SURFACER TOPCOAT - recommended for most applications, not included	10194	NATURAL	20 BATCH	3 days	20A, 20B, 20C, 500#D	600 sq. ft. @ 1/4" (250 mils)	1650#
		10195	NATURAL	4 BATCH	3 days	4A, 4B, 4C, 100#D	120 sq. ft. @ 1/4" (250 mils)	330#
		10415	GRAY	20 BATCH	3 days	20A, 20B, 20C, 500#D	600 sq. ft. @ 1/4" (250 mils)	1650#
		10416	GRAY	4 BATCH	3 days	4A, 4B, 4C, 100#D	120 sq. ft. @ 1/4" (250 mils)	330#
		10429	RED	20 BATCH	3 days	20A, 20B, 20C, 500#D	600 sq. ft. @ 1/4" (250 mils)	1650#
		10430	RED	4 BATCH	3 days	4A, 4B, 4C, 100#D	120 sq. ft. @ 1/4" (250 mils)	330#
<b>340 CR Surfacers</b>	1/4" NOVOLAC EPOXY, TROWEL APPLIED SURFACER CR TOPCOAT - recommended for most applications, not included	10196	NATURAL	20 BATCH	3 days	20A, 20B, 20C, 500#D	600 sq. ft. @ 1/4" (250 mils)	1650#
		10197	NATURAL	4 BATCH	3 days	4A, 4B, 4C, 100#D	120 sq. ft. @ 1/4" (250 mils)	330#
		10417	GRAY	20 BATCH	3 days	20A, 20B, 20C, 500#D	600 sq. ft. @ 1/4" (250 mils)	1650#
		10418	GRAY	4 BATCH	3 days	4A, 4B, 4C, 100#D	120 sq. ft. @ 1/4" (250 mils)	330#
		10431	RED	20 BATCH	3 days	20A, 20B, 20C, 500#D	600 sq. ft. @ 1/4" (250 mils)	1650#
		10432	RED	4 BATCH	3 days	4A, 4B, 4C, 100#D	120 sq. ft. @ 1/4" (250 mils)	330#
<b>350 Grout</b>	EPOXY GROUT, TROWEL APPLIED - 1/4" - 1.25" Primer Required, not included.	10198	NATURAL	1 BATCH	3 days	1A, 1B, 1C	8 sq. ft. @ 1/2" (500 mils)	44#
		10199	NATURAL	3 BATCH	3 days	1A, 1B, 3C	24 sq. ft. @ 1/2" (500 mils)	132#
<b>350 LT Grout</b>	LOW TEMP. CURE EPOXY GROUT, TROWEL APPLIED - 1/4" - 1.25" Primer Required, not included	10200	NATURAL	1 BATCH	3 days	1A, 1B, 1C	8 sq. ft. @ 1/2" (500 mils)	44#
		10201	NATURAL	3 BATCH	3 days	1A, 1B, 3C	24 sq. ft. @ 1/2" (500 mils)	132#
<b>360 Tile Grout</b>	EPOXY TILE GROUT / CRACK FILLER Three comp. bonding grout. CR And LT versions also available - contact sales.	10202	GRAY	1 BATCH	3 days	1A, 1B, 1C	1.5 gal. or 353 cu. in.	25#
		10601	CHARCOAL	1 BATCH	3 days	1A, 1B, 1C	1.5 gal. or 353 cu. in.	25#
		10203	TILE RED	1 BATCH	3 days	1A, 1B, 1C	1.5 gal. or 353 cu. in.	25#
<b>370 Pourable Grout</b>	EPOXY POURABLE GROUT CR, LT and Fast Cure versions avail. - contact sales.	10452	NATURAL	1/3 Cubic Foot	3 days	1A, 1B, 1C	1/3 Cubic Foot	45#
		10204	NATURAL	1 Cubic Foot	3 days	1A, 1B, 3C	1 Cubic Foot	130#
		10453	NATURAL	2 Cubic Feet	3 days	1A, 1B, 6C	2 Cubic Feet	260#
<b>370 CR Pourable Grout</b>	NOVOLAC EPOXY POURABLE GROUT	10532	NATURAL	1/3 Cubic Foot	3 days	1A, 1B, 1C	1/3 Cubic Foot	45#
		10406	NATURAL	1 Cubic Foot	3 days	1A, 1B, 3C	1 Cubic Foot	130#
		10533	NATURAL	2 Cubic Feet	3 days	1A, 1B, 6C	2 Cubic Feet	260#
<b>440 Surfacers</b>	1/4" URETHANE SLURRY SURFACER - Thermal Shock Resistant Topcoat - Recommended for most applications.	10205	NATURAL	20 batch	3 days	20A, 20B, 20C & 500#D	600 sq. ft. @ 1/4" (250 mils)	1650#
		10206	NATURAL	2 Batch	3 days	2A, 2B, 2C & 50#D	60 sq. ft. @ 1/4" (250 mils)	165#
		10205	GRAY	20 batch	3 days	20A, 20B, 20C & 500#D	600 sq. ft. @ 1/4" (250 mils)	1650#
		10206	GRAY	2 Batch	3 days	2A, 2B, 2C & 50#D	60 sq. ft. @ 1/4" (250 mils)	165#
		10207	TILE RED	20 batch	3 days	20A, 20B, 20C & 500#D	600 sq. ft. @ 1/4" (250 mils)	1650#
		10208	TILE RED	2 Batch	3 days	2A, 2B, 2C & 50#D	60 sq. ft. @ 1/4" (250 mils)	165#
<b>440 Grout Agg.</b>	Added to standard 440 Urethane Cement Slurry to extend the material for Grouting Applications - Contact Sales / Tech Service. Supplied in 100# Bags.	10209	NATURAL	100# Bags	3 days	Aggregate	50# Maximum per batch	100#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>500 &amp; 600 Series Moisture Cure Concrete Sealer</b>	URETHANE, ONE COMPONENT, MOISTURE CURE	10210	AMBER	1 PINT	3 days	1 COMPONENT	50 sq. ft. @ 5 mils WFT	2#
	CONCRETE PRIMER / SEALER	10211	AMBER	1 GALLON	3 days	1 COMPONENT	320 sq. ft. @ 5 mils WFT	9#
		10530	AMBER	5 Gallon	3 days	1 COMPONENT	1604 sq. ft. @ 5 mils WFT	9#
<b>500 Laminate Flooring</b>	1/4" POLYESTER LAMINATE FLOORING SYSTEM	10212	GRAY	50 GAL. KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
	500 & 600 Series Primer, Topcoat Additive and Bulking Tools Included.	10213	GRAY	5 GAL. KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
	NON-RETURNABLE.	10214	TILE RED	50 GAL KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10215	TILE RED	5 GAL KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
<b>550 Grout</b>	POLYESTER TROWELABLE FILLER / PITCHING GROUT. Primer Required - Use Part A and B at proper mix ratio.	10216	NATURAL	55 GAL. KIT	5 days	1A, 1B, 90C, 1Set Bulk Tools	600 sq. ft. @ 1/2" (500 mils)	5000#
	550 & 600 Series Moisture Cure Sealant also required, not included, for concrete application. Trowel applied to a maximum of 1" per lift - NON-RETURNABLE.	10217	NATURAL	5 GAL. KIT	5 days	1A, 1B, 9C, 1Set Bulk Tools	60 sq. ft. @ 1/2" (500 mils)	500#
<b>600 Laminate Flooring</b>	1/4" VINYLESTER LAMINATE FLOORING SYSTEM	10236	GRAY	50 GAL. KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
	500 & 600 Series Primer, Topcoat Additive and Bulking Tools Included.	10237	GRAY	5 GAL. KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
	NON-RETURNABLE.	10238	TILE RED	50 GAL KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10239	TILE RED	5 GAL KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
<b>610 Laminate Flooring</b>	1/4" CHLORENDIC POLYESTER LAMINATE FLOORING SYSTEM	10240	GRAY	50 GAL. KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
	500 & 600 Series Primer, Topcoat Additive and Bulking Tools Included.	10241	GRAY	5 GAL. KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
	NON-RETURNABLE.	10242	TILE RED	50 GAL KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10243	TILE RED	5 GAL KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
<b>620 Laminate Flooring</b>	1/4" NOVOLAC VINYLESTER LAMINATE FLOORING SYSTEM	10244	GRAY	50 GAL. KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
	500 & 600 Series Primer, Topcoat Additive and Bulking Tools Included.	10245	GRAY	5 GAL. KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
	NON-RETURNABLE.	10246	TILE RED	50 GAL KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10247	TILE RED	5 GAL KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>640</b> <b>Coating System</b>	HEAVY DUTY VINYLESTER COATING SYSTEM NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 & 600 SERIES PRIMER, required for concrete applications.	10544	DARK GRAY	1 GALLON	5 days	1A, 1B	40 sq. ft. @ 40 mils	13#
		10545	DARK GRAY	5 GALLON	5 days	1A, 1B	200 sq. ft. @ 40 mils	65#
		10546	CHARCOAL	1 GALLON	5 days	1A, 1B	40 sq. ft. @ 40 mils	13#
		10547	CHARCOAL	5 GALLON	5 days	1A, 1B	200 sq. ft. @ 40 mils	65#
<b>640 AR</b> <b>Coating System</b>	HEAVY DUTY VINYLESTER COATING SYSTEM NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 & 600 SERIES PRIMER, required for concrete applications.	10548	DARK GRAY	1 GALLON	5 days	1A, 1B	40 sq. ft. @ 40 mils	13#
		10549	DARK GRAY	5 GALLON	5 days	1A, 1B	200 sq. ft. @ 40 mils	65#
		10550	CHARCOAL	1 GALLON	5 days	1A, 1B	40 sq. ft. @ 40 mils	13#
		10551	CHARCOAL	5 GALLON	5 days	1A, 1B	200 sq. ft. @ 40 mils	65#
<b>642</b> <b>Coating System</b>	HEAVY DUTY NOVOLAC VINYLESTER COATING SYSTEM NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 & 600 SERIES PRIMER, required for concrete applications.	10552	DARK GRAY	1 GALLON	5 days	1A, 1B	40 sq. ft. @ 40 mils	13#
		10553	DARK GRAY	5 GALLON	5 days	1A, 1B	200 sq. ft. @ 40 mils	65#
		10554	CHARCOAL	1 GALLON	5 days	1A, 1B	40 sq. ft. @ 40 mils	13#
		10555	CHARCOAL	5 GALLON	5 days	1A, 1B	200 sq. ft. @ 40 mils	65#
<b>642 AR</b> <b>Coating System</b>	HEAVY DUTY NOVOLAC VINYLESTER COATING SYSTEM NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 & 600 SERIES PRIMER, required for concrete applications.	10556	DARK GRAY	1 GALLON	5 days	1A, 1B	40 sq. ft. @ 40 mils	13#
		10557	DARK GRAY	5 GALLON	5 days	1A, 1B	200 sq. ft. @ 40 mils	65#
		10558	CHARCOAL	1 GALLON	5 days	1A, 1B	40 sq. ft. @ 40 mils	13#
		10559	CHARCOAL	5 GALLON	5 days	1A, 1B	200 sq. ft. @ 40 mils	65#
<b>650</b> <b>Coating System</b>	VINYLESTER COATING SYSTEM NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 & 600 SERIES PRIMER, required for concrete applications.	10218	GRAY	1 GALLON	5 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10219	GRAY	5 GALLON	5 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10220	TILE RED	1 GALLON	5 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10221	TILE RED	5 GALLON	5 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10222	CREAM	1 GALLON	5 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10223	CREAM	5 GALLON	5 days	1A, 1B	220 sq. ft. @ 30 mils	65#
<b>651</b> <b>Coating System</b>	CHLORENDIC POLYESTER COATING SYSTEM NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 & 600 SERIES PRIMER, required for concrete applications.	10224	GRAY	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10225	GRAY	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10226	TILE RED	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10227	TILE RED	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10228	CREAM	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10229	CREAM	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#
<b>652</b> <b>Coating System</b>	NOVOLAC VINYLESTER COATING SYSTEM NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 & 600 SERIES PRIMER, required for concrete applications.	10230	GRAY	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10231	GRAY	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10232	TILE RED	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10233	TILE RED	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10234	CREAM	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10235	CREAM	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>660 Coving</b>	1/8" VINYLESTER, TROWEL APPLIED COVING. NON-RETURNABLE - PRIMER AND VEILCOAT REQUIRED - 500 & 600 Series Moisture Cure Sealer - required for concrete substrates.	<b>10504</b>	CHARCOAL	1 BATCH	5 days	1A, 1B, 1C	4" cove - 30LF/batch, 6" cove - 24LF/batch	15#
<b>660 Liner</b>	1/8" VINYLESTER, TROWEL APPLIED LINER. NON-RETURNABLE - PRIMER AND VEILCOAT REQUIRED - 500 & 600 Series Moisture Cure Sealer - required for concrete substrates.	<b>10248</b>	CHARCOAL	1 BATCH	5 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	15#
<b>660 Primer</b>	PRIMER for 660 LINER, REQUIRED	<b>10249</b>	STRAW	1 QUART	5 days	1A, 1B	50 sq. ft. @ 8 mils	3#
<b>660 Veilcoat</b>	VEILCOAT FOR 660 LINER, REQUIRED	<b>10250</b>	STRAW	1 QUART	5 days	1A, 1B	50 sq. ft. @ 8 mils	3#
<b>661 Liner</b>	1/8" CHLORENDIC POLYESTER, TROWEL APPLIED LINER. NON-RETURNABLE - PRIMER AND VEILCOAT REQUIRED - 500 & 600 Series Moisture Cure Sealer - required for concrete substrates.	<b>10251</b>	CHARCOAL	1 BATCH	8 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	15#
<b>661 Primer</b>	PRIMER for 661 LINER, REQUIRED	<b>10252</b>	STRAW	1 QUART	8 days	1A, 1B	50 sq. ft. @ 8 mils	3#
<b>661 Veilcoat</b>	VEILCOAT FOR 661 LINER, REQUIRED	<b>10253</b>	STRAW	1 QUART	8 days	1A, 1B	50 sq. ft. @ 8 mils	3#
<b>662 Liner</b>	1/8" NOVOLAC VINYLESTER, TROWEL APPLIED LINER. NON-RETURNABLE - PRIMER AND VEILCOAT REQUIRED - 500 & 600 Series Moisture Cure Sealer - required for concrete substrates.	<b>10254</b>	CHARCOAL	1 BATCH	8 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	15#
<b>662 Primer</b>	PRIMER for 662 LINER, REQUIRED	<b>10255</b>	STRAW	1 QUART	8 days	1A, 1B	50 sq. ft. @ 8 mils	3#
<b>662 Veilcoat</b>	VEILCOAT FOR 662 LINER, REQUIRED	<b>10256</b>	STRAW	1 QUART	8 days	1A, 1B	50 sq. ft. @ 8 mils	3#
<b>670</b>	VINYLESTER POURABLE GROUT - Minimum Thickness 1.5" - NOT RETURNABLE.	<b>10257</b>	NATURAL	55 GAL. KIT	5 days	1A, 1B, 90C, 1Set Bulk Tools	27 CUBIC FEET.	4000#
<b>Pourable Grout</b>	500 & 600 Series Moisture Cure Concrete Sealer, not included, required for concrete application.	<b>10258</b>	NATURAL	5 GAL. KIT	5 days	1A, 1B, 9C, 1Set Bulk Tools	2.7 CUBIC FEET.	420#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>700</b> <b>Coating</b>	WATER BASED EPOXY - VAPOR TRANSMISSION FLOOR COATING / SEALER - semi-self leveling	<b>10444</b>	GRAY	1 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils Wet Film Thickness	10#
		<b>10445</b>	GRAY	3 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils Wet Film Thickness	30#
		<b>10446</b>	LIGHT GRAY	1 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils Wet Film Thickness	10#
		<b>10447</b>	LIGHT GRAY	3 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils Wet Film Thickness	30#
		<b>10450</b>	TILE RED	1 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils Wet Film Thickness	10#
		<b>10451</b>	TILE RED	3 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils Wet Film Thickness	30#
<b>701</b> <b>Primer / Sealer</b>	WATER BASED EPOXY LOW VISCOSITY PRIMER / SEALER	<b>10594</b>	CLEAR	1 GALLON	3 days	1A, 1B	320 sq. ft. @ 5 mils (wet)	13#
		<b>10595</b>	CLEAR	3 GALLON	3 days	1A, 1B	960 sq. ft. @ 5 mils (wet)	39#
<b>740</b> <b>Surfacer</b>	1/4" URETHANE MODIFIED WATER BASED EPOXY-PORTLAND CEMENT SLURRY SURFACER - Thermal Shock Resistant Sealer - Recommended for most applications.	<b>10596</b>	GRAY	2 Batch	3 days	2A, 2B, 2C & 50#D	60 sq. ft. @ 1/4" (250 mils)	175#
		<b>10597</b>	TILE RED	2 Batch	3 days	2A, 2B, 2C & 50#D	60 sq. ft. @ 1/4" (250 mils)	175#
		<b>10598</b>	NATURAL	2 Batch	3 days	2A, 2B, 2C & 50#D	60 sq. ft. @ 1/4" (250 mils)	175#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>810 AR Coating</b>	ABRASION RESISTANT BRUSH/ROLLER APPLIED CERAMIC COMPOSITE COATING	10567	GRAY	PINT	3 days	1A, 1B	13 sq. ft. @ 30 mils	1.9#
		10568	BLUE	PINT	3 days	1A, 1B	13 sq. ft. @ 30 mils	1.9#
		10569	GRAY	QUART	3 days	1A, 1B	27 sq. ft. @ 30 mils	3.8#
		10570	BLUE	QUART	3 days	1A, 1B	27 sq. ft. @ 30 mils	3.8#
		10571	GRAY	GALLON	3 days	1A, 1B	54 sq. ft. @ 30 mils	15.5#
		10572	BLUE	GALLON	3 days	1A, 1B	54 sq. ft. @ 30 mils	15.5#
		10573	GRAY	5 GALLON	3 days	1A, 1B	270 sq. ft. @ 30 mils	79#
		10574	BLUE	5 GALLON	3 days	1A, 1B	270 sq. ft. @ 30 mils	79#
<b>817 AR Compound</b>	ABRASION RESISTANT TOOL APPLIED CERAMIC COMPOSITE COMPOUND	10575	GRAY	5 GALLON	3 days	1A, 1B	32 sq. ft. @ 1/4"	98#
		10576	GRAY	30 GALLON	3 days	1A, 1B	192.5 sq. ft. @ 1/4"	510#
<b>818 AR Compound</b>	ABRASION RESISTANT TOOL APPLIED CERAMIC COMPOSITE COMPOUND	10577	GRAY	1 QUART	3 days	1A, 1B	1.61 sq. ft. @ 1/4"	5#
		10578	GRAY	1 GALLON	3 days	1A, 1B	6.42 sq. ft. @ 1/4"	20#
		10579	GRAY	3 GALLON	3 days	1A, 1B	19.25 sq. ft. @ 1/4"	60#
<b>830 AR Mortar</b>	ABRASION RESISTANT TROWEL APPLIED CERAMIC COMPOSITE MORTAR PRIMER REQUIRED, not included	10580	CARBIDE GRAY	1/4 BATCH	3 days	1A, 1B, 1C	4 sq. ft. @ 1/4" (250 mils)	14#
		10581	CARBIDE GRAY	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	51#
		10582	CARBIDE GRAY	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	153#
<b>830 AR Primer</b>	Primer for 830	10583	AMBER	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	3.5#
		10584	AMBER	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	14#
		10585	AMBER	2 GALLON	3 days	1A, 1B	400 sq. ft. @ 8 mils	28#
<b>860 AR Liner</b>	1/8" ABRASION RESISTANT TROWEL APPLIED CERAMIC COMPOSITE LINER PRIMER REQUIRED, not included. VEILCOAT RECOMMENDED	10586	CARBIDE GRAY	1 BATCH	3 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	22#
		10587	CARBIDE GRAY	2 BATCH	3 days	1A, 1B, 1C	25 sq. ft. @ 1/8" (125 mils)	44#
<b>860 AR HT Liner</b>	1/8" ABRASION RESISTANT TROWEL APPLIED CERAMIC COMPOSITE LINER PRIMER REQUIRED, not included. VEILCOAT RECOMMENDED	10588	CARBIDE GRAY	1 BATCH	3 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	22#
		10589	CARBIDE GRAY	2 BATCH	3 days	1A, 1B, 1C	25 sq. ft. @ 1/8" (125 mils)	44#
<b>860 AR Primer</b>	EPOXY PRIMER for 860 LINER	10590	STRAW	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
<b>870 AR Grout</b>	ABRASION RESISTENT EPOXY CASTABLE CERAMIC COMPOSITE GROUT	10591	CARBIDE GRAY	1/3 Cubic Foot	3 days	1A, 1B, 1C	1/3 Cubic Foot	52#
		10592	CARBIDE GRAY	1 Cubic Foot	3 days	1A, 1B, 3C	1 Cubic Foot	156#
		10593	CARBIDE GRAY	2 Cubic Feet	3 days	1A, 1B, 6C	2 Cubic Feet	312#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
<b>Aggregate</b>	100 MESH BROADCAST	10261	NATURAL	100 MESH	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	70 MESH BROADCAST	10396	NATURAL	70 MESH	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	50 MESH BROADCAST	10262	NATURAL	50 MESH	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	30 MESH BROADCAST	10263	NATURAL	30 MESH	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	COLORQUARTZ BLACK	10264	BLACK	30 Mesh	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	COLORQUARTZ BUFF	10265	BUFF	30 Mesh	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	COLORQUARTZ GRAY	10070	GRAY	30 Mesh	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	COLORQUARTZ RED	10071	RED	30 Mesh	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	COLORQUARTZ WHITE	10268	WHITE	30 Mesh	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	16 MESH NATURAL	10269	NATURAL	16 MESH	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	16 MESH GRAY	10270	GRAY	16 MESH	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	16 MESH RED	10271	RED	16 MESH	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	14 MESH NATURAL	10272	NATURAL	14 MESH	3 days	50# Bag	Price per #	50#
<b>Aggregate</b>	1/4 X 1/8 NATURAL	10428	NATURAL	1/4 X 1/8	3 days	100# Bag	Price per #	100#
<b>Aggregate</b>	SharkSkin	10476	Colorless	SharkSkin	3 days	1# Package	Price per #	1#
<b>Alum. Strips</b>		10273	Aluminum	6' Piece	3 days	1 EA	6 Lineal Feet	0.5#

www.greenstonepolymer.com

**GREENSTONE POLYMER SYSTEMS, INC.**

Telephone: 920-435-1548