



PRODUCT LIST

www.greenstonepolymer.com

Product Data Sheets are available on the web site.

GREENSTONE POLYMER SYSTEMS, INC.
400 Lombardi Avenue
Green Bay, WI 54304



Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
100 Floor Coating	EPOXY, GENERAL PURPOSE, FLOOR COATING / SEALER 100% solids, semi-self leveling Recommended Use - Basecoat / Broadcast / Sealer	10012	DARK GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10013	DARK GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10014	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10015	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10611	GRAY	15 GALLON	3 days	1A, 1B	1500 sq. ft. @ 16 mils	140#
		10016	LIGHT GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10017	LIGHT GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10900	CONCRETE GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10901	CONCRETE GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10021	TAN	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10022	TAN	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10023	TILE RED	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10024	TILE RED	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		101 Line Striping - EPOXY, GENERAL PURPOSE, 100% solids, self-leveling		10388	SAFETY BLUE	1 GALLON	3 days	1A, 1B
10541	SAFETY GREEN			1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
10856	SAFETY ORANGE			1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
10716	SAFETY RED			1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
10903	SAFETY WHITE			1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
10390	SAFETY YELLOW			1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
100 CR Floor Coating	HIGHLY CHEMICAL RESISTANT NOVOLAC EPOXY FLOOR COATING / SEALER 100% solids, semi-self leveling Recommended Use - Basecoat / Broadcast / Sealer	10025	CLEAR	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10026	CLEAR	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10029	DARK GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10030	DARK GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10031	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10032	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10037	SAFETY YELLOW	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10040	TILE RED	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
100 HT Floor Coating	HIGH TEMPERATURE RESISTANT, NOVOLAC EPOXY FLOOR COATING / SEALER 100% solids, semi-self leveling coating. Recommended Use - Basecoat / Broadcast / Sealer	10041	TILE RED	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10654	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10655	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10612	TILE RED	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10653	TILE RED	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
100 LT Floor Coating	LOW TEMPERATURE CURE FLOOR COATING / SEALER 100% solids, semi-self leveling coating, with the ability to cure down to 32°F. Recommended Use - Basecoat / Broadcast / Sealer	10046	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10047	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10055	TILE RED	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10056	TILE RED	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
110 Surfacer	EPOXY, PIN RAKE APPLIED SURFACER, 60-100 MIL	10658	GRAY	1 BATCH	3 days	1A, 1B, 1C	70 sq. ft. @ 70 mils	43#
		10659	TILE RED	1 BATCH	3 days	1A, 1B, 1C	70 sq. ft. @ 70 mils	43#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
133 Basecoat	EPOXY BROADCAST BASECOAT	10063	Unpigmented	1 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils	10#
		10064	Unpigmented	3 GALLON	3 days	1A, 1B	240 sq. ft. @ 20 mils	30#
133 Topcoat	EPOXY TOPCOAT FOR 133 DECORATIVE BROADCAST SYSTEM	10065	CLEAR	1 GALLON	3 days	1A, 1B	80 sq ft @ 20 mils	10#
		10061	CLEAR	2 GALLON	3 days	1A, 1B	160 sq ft at 20 mils	20#
133 Coving Primer	EPOXY COVING PRIMER FOR 133 DECORATIVE COVING SYSTEM	10067	Unpigmented	1 QUART	3 days	1A, 1B	100 LF ft. @ 8 mils (6" Cove)	3#
133 Coving	EPOXY COVING MORTAR FOR 133 DECORATIVE COVING SYSTEM - 12# of Colorquartz per batch of 133 Coving - NOT INCLUDED, order separately.	10068	Colorquartz	1 BATCH	3 days	1A, 1B	4" cove - 30LF/batch, 6" cove - 24LF/batch	14#
133 Coving Topcoat	EPOXY COVING TOPCOAT FOR 133 DECORATIVE COVING SYSTEM	10069	CLEAR	1 QUART	3 days	1A, 1B	100 LF ft. @ 8 mils (6" Cove)	3#
133 Aggregate	Colorquartz Broadcast Aggregate - Buff / Brown	10072		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - Buff / Brown / Black	10073		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - Buff / Brown / Red	10074		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - White / Buff / Brown / Red	10075		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - White / Buff / Red / Black	10076		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - Grey / Brown / Black	10077		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - White / Brown / Red	10078		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - White / Buff / Brown / Black	10079		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - White / Grey / Blue / Black	10080		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - White / Grey / Buff / Black	10081		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - White / Grey / Buff / Brown	10082		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#
133 Aggregate	Colorquartz Broadcast Aggregate - White / Grey / Green / Black	10083		Price per 50# bag	3 days		1 # per sq. ft. for 133 Brdcst, (2 lifts), 12# per batch for 133 Coving	50#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
140 HS Coating	HIGH SOLIDS POLYESTER URETHANE COATING SOLVENT BASED - 6:1 By Volume Mix Ratio 65% Solids system, Solvent required 10% by volume. UV resistant topcoat / sealer.	10419	BRIGHT WHITE	1 GALLON	5 days	1A, 1B	320 sq. ft. @ 4-6 mils WFT	12#
		10420	BRIGHT WHITE	5 GALLON	5 days	1A, 1B	1600 sq. ft. @ 4-6 mils WFT	48#
		10423	GRAY	1 GALLON	5 days	1A, 1B	320 sq. ft. @ 4-6 mils WFT	12#
		10424	GRAY	5 GALLON	5 days	1A, 1B	1600 sq. ft. @ 4-6 mils WFT	48#
140 HS/141HS Solvent	Required - approximately 10% by volume for 140HS / 141HS.	10425	CLEAR	1 PINT	5 days			2#
		10426	CLEAR	1 QUART	5 days			4#
		10427	CLEAR	1 GALLON	5 days			8#
141 HS Floor Coating	HIGH SOLIDS POLYURETHANE FLOOR COATING Solvent required - 10% by volume 2:1 By Volume Mix Ratio	10690	CLEAR	3 QUART	5 days	2A, 1B	240 sq. ft. @ 4-6 mils WFT	8#
		10691	CLEAR	3 GALLON	5 days	2A, 1B	960 sq. ft. @ 4-6 mils WFT	30#
		10767	BRIGHT WHITE	3 QUART	5 days	2A, 1B	240 sq. ft. @ 4-6 mils WFT	8#
		10768	BRIGHT WHITE	3 GALLON	5 days	2A, 1B	960 sq. ft. @ 4-6 mils WFT	30#
		10769	GRAY	3 QUART	5 days	2A, 1B	240 sq. ft. @ 4-6 mils WFT	8#
		10770	GRAY	3 GALLON	5 days	2A, 1B	960 sq. ft. @ 4-6 mils WFT	30#
144 UHS Floor Coating	ULTRA HIGH SOLIDS POLYURETHANE FLOOR COATING 1:1 By Volume Mix Ratio	10821	CLEAR	2 GALLON	5 days	1A, 1B	320 sq. ft. @ 4-6 mils WFT	22#
		10822	CLEAR	10 GALLON	5 days	1A, 1B	960 sq. ft. @ 4-6 mils WFT	30#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
150 Coating System	FIBER REINFORCED, EPOXY COATING SYSTEM - GENERAL PURPOSE.	10091	CREAM	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10093	DARK GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10094	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10095	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10096	LIGHT GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10433	MILL WHITE	1 GALLON	3 days	1A, 1B	160 sq. ft. @ 10 mils	10#
		10434	MILL WHITE	3 GALLON	3 days	1A, 1B	480 sq. ft. @ 10 mils	10#
		10100	TAN	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10101	TILE RED	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10097	SAFETY BLUE	1 GALLON	5 days	1A, 1B	800 sq. ft. @ 10 mils	10#
		10098	SAFETY GREEN	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10904	SAFETY ORANGE	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10771	SAFETY RED	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10099	SAFETY YELLOW	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
150 Coating Solvent	Solvent is required for spray application. The applicator must make adjustments based on equipment, air and surface temperatures.	10872	CLEAR	1 GALLON	3 days	5%-20% Typical		10#
		10873	CLEAR	5 GALLON	3 days	5%-20% Typical		50#
150 AR TOPCOAT	Abrasion Resistant Topcoat	10850	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10851	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
150 CR COATING SYSTEM	FIBER REINFORCED NOVOLAC EPOXY COATING SYSTEM. Designed for applications up to 120°F.	10102	DARK GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10103	DARK GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
		10104	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10105	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
150 HT TOPCOAT	HIGH TEMPERATURE RESISTANT, FIBER REINFORCED NOVOLAC EPOXY TOPCOAT	10109	DARK GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10110	DARK GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
		10111	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10112	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
150 LT TOPCOAT	LOW TEMPERATURE CURE EPOXY REINFORCED TOPCOAT Cures at temperatures as low as 32°F.	10120	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10121	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	28#
		10122	LIGHT GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	10#
		10126	SAFETY YELLOW	1 GALLON	5 days	1A, 1B	100 sq. ft. @ 16 mils	10#
150 TFE TOPCOAT	RELEASE PROPERTY EPOXY TOPCOAT	10488	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		10489	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
159 Filler	EPOXY, FILLER AND FARING COMPOUND	10896	GRAY	8/10 QUART	3 days	1A, 1B, 1C	6 sq. ft. @ 60 mils	4#
160 Block Filler	EPOXY, FILLER / SEALER - SAND FILLED, THREE COMPONENT FILLER	10131	GRAY	1 BATCH	3 days	1A, 1B, 1C	2.15 Gallon Kit - approximately 115 square feet at 30 mils.	28#
161 Filler	EPOXY FILLER / SEALER - TWO COMPONENT PASTE	10853	GRAY	1 GALLON	3 days	1A, 1B	80 Sq. Ft. @ 20 MILS	10#
162 Spray Liner	EPOXY, MASTIC SPRAY RESTRUCTURING FILLER / LINER	10604	GRAY	1 BATCH	3 days	1A, 1B, 1C	2 Gallon Kit - approximately 40 square feet at 80 mils.	26#
260 Liner	1/8"EPOXY, TROWEL APPLIED LINER	10133	CHARCOAL	1 BATCH	3 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	20#
	PRIMER AND VEILCOAT REQUIRED, not included	10134	CHARCOAL	2 BATCH	3 days	1A, 1B, 1C	25 sq. ft. @ 1/8" (125 mils)	40#
260 Primer	EPOXY PRIMER for 260 LINER	10135	Unpigmented	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
260 Veilcoat	EPOXY VEILCOAT for 260 LINER	10137	Unpigmented	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
		10138	Unpigmented	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	16#
260 CR Liner	1/8" HIGH TEMPERATURE NOVOLAC EPOXY, TROWEL APPLIED LINER	10139	CHARCOAL	1 BATCH	3 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	20#
	CR PRIMER AND CR VEILCOAT REQUIRED, not included	10140	CHARCOAL	2 BATCH	3 days	1A, 1B, 2C	25 sq. ft. @ 1/8" (125 mils)	40#
260 CR Primer	NOVOLAC EPOXY PRIMER for 260 CR LINER	10141	Unpigmented	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
260 CR Veilcoat	NOVOLAC EPOXY VEILCOAT for 260 CR LINER	10143	Unpigmented	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
		10144	Unpigmented	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	16#
260 HT Liner	1/8" HIGH TEMPERATURE NOVOLAC EPOXY, TROWEL APPLIED LINER	10145	CHARCOAL	1 BATCH	3 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	20#
	HT PRIMER AND HT VEILCOAT REQUIRED, not included	10146	CHARCOAL	2 BATCH	3 days	1A, 1B, 2C	25 sq. ft. @ 1/8" (125 mils)	40#
260 HT Primer	HIGH TEMPERATURE NOVOLAC EPOXY PRIMER for 260 HT LINER	10147	Unpigmented	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
260 HT Veilcoat	HIGH TEMPERATURE NOVOLAC EPOXY VEILCOAT for 260 HT LINER	10149	Unpigmented	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
		10150	Unpigmented	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	16#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
300 Coving	1/8" EPOXY VERTICAL COVING / RESURFACER PRIMER REQUIRED, not included. TOPCOAT, optional	10151	GRAY	1 BATCH	3 days	1A, 1B, 1C	4" cove - 30LF/batch	15#
		10152	TILE RED	1 BATCH	3 days	1A, 1B, 1C	6" cove - 24LF/batch	15#
300 Coving Primer	EPOXY PRIMER FOR 300 COVING	10153	Unpigmented	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	2#
300 Coving Topcoat	EPOXY TOPCOAT FOR 300 COVING	10154	Unpigmented	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	2#
300 Flex	FLEXIBLE EPOXY EXPANSION JOINT SEALER / FLEXIBLE MEMBRANE Larger packaging is available - contact sales for details. 1:1 By Volume	10880	UNPIGMENTED	8/10 QUART	3 days	1A, 1B	32 LF-1/4"X1/2"	20#
		10881	UNPIGMENTED	1 GALLON	3 days	1A, 1B	160 LF-1/4"X1/2"	20#
		10824	GRAY	8/10 QUART	3 days	1A, 1B	32 LF-1/4"X1/2"	3.2#
		10156	GRAY	1 GALLON	3 days	1A, 1B	160 LF-1/4"X1/2"	10#
		10157	TILE RED	1 GALLON	3 days	1A, 1B	320 LF-1/4"X1/2"	20#
301 Penetrating Primer / Sealer	LOW VISCOSITY EPOXY PENETRATING PRIMER / SEALER	10529	CLEAR	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	3.5#
		10493	CLEAR	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	14#
		10542	CLEAR	2 GALLON	3 days	1A, 1B	400 sq. ft. @ 8 mils	28#
310 Surfacer	1/8" EPOXY SLURRY / BROADCAST - Moderate Skid Resistance Trowel Applied, no primer required, Sealer Recommended	10662	GRAY	1 BATCH	3 days	1A, 1B, 1C, 1D	31 sq. ft. @ 1/8" (125 mils)	38#
		10663	TILE RED	1 BATCH	3 days	1A, 1B, 1C, 1D	31 sq. ft. @ 1/8" (125 mils)	38#
310 CR Surfacer	1/8" NOVOLAC EPOXY SLURRY / BROADCAST - Moderate Slip Resistance Trowel Applied, no primer required, CR Topcoat Recommended	10664	GRAY	1 BATCH	3 days	1A, 1B, 1C, 1D	31 sq. ft. @ 1/8" (125 mils)	38#
		10665	TILE RED	1 BATCH	3 days	1A, 1B, 1C, 1D	31 sq. ft. @ 1/8" (125 mils)	38#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
330 Primer	Primer for 330, 330 AR, 330 CR, 330 PT, & 350 GROUT.	10164	AMBER	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	3.5#
		10165	AMBER	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	14#
330 Mortar	1/4" EPOXY, TROWEL APPLIED MORTAR Primer Required, not included. Topcoat Recommended. 2" - 45° Cant Cove - Approximately 25 Linear Feet Per Single Batch Kit	10167	GRAY	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10168	GRAY	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10169	TILE RED	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10170	TILE RED	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
330 AR Mortar	1/4" EPOXY, ABRASION RESISTANT (Silicon Carbide) TROWELED MORTAR 330 Primer Required, not included. 330 Veilcoat Recommended.	10171	CARBIDE GRAY	1 BATCH	5 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10172	CARBIDE GRAY	3 BATCH	5 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
330 AR / CR Mortar	1/4" NOVOLAC EPOXY, Abrasion resistant (Silicon Carbide) Troweled Mortar 330 PRIMER - REQUIRED, not included. VEILCOAT / SEALER RECOMMENDED	10413	CARBIDE GRAY	1 BATCH	5 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10414	CARBIDE GRAY	3 BATCH	5 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
330 CR Mortar	1/4" NOVOLAC EPOXY, TROWEL APPLIED MORTAR Primer Required, not included. Veilcoat / Sealer Recommended.	10175	GRAY	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10176	GRAY	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10177	TILE RED	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10178	TILE RED	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
330 HT Mortar	1/4" HIGH TEMPERATURE NOVOLAC EPOXY, TROWEL APPLIED MORTAR Primer Required, not included. Topcoat Recommended.	10472	GRAY	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10473	GRAY	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10474	TILE RED	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10475	TILE RED	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
330 PT Mortar	1/4" EPOXY, POWER TROWELED MORTAR Power Trowel compacted mortar. Primer - Required, not included. Topcoat Optional.	10191	GRAY	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10193	TILE RED	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
330 Patch Kit	1/4" EPOXY, TROWEL APPLIED MORTAR - PATCH KIT Single batch of 330, with primer, packaged in a five gallon pail.	10162	GRAY	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
		10163	TILE RED	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
		10477	BLACK	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
330 CR Patch Kit	1/4" EPOXY, TROWEL APPLIED MORTAR - PATCH KIT Single batch of 3300 CR, with primer, packaged in a five gallon pail.	10173	GRAY	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
		10174	TILE RED	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
330 Fast Cure Patch Kit	1/4" EPOXY, TROWEL APPLIED SURFACER - FAST CURE PATCH KIT Single batch, packaged in a five gallon pail.	10179	GRAY	1 BATCH	3 days	1A, 1B, 1C	10 sq. ft. @ 1/4" (250 mils)	30#
		10180	TILE RED	1 BATCH	3 days	1A, 1B, 1C	10 sq. ft. @ 1/4" (250 mils)	30#
330 LT Primer	LT Primer for 330 LT, 350 LT Grout Systems. Cures as low as 32°F.	10181	Amber	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	3.5#
		10182	Amber	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	14#
		10183	Amber	2 GALLON	3 days	1A, 1B	400 sq. ft. @ 8 mils	28#
330 LT Mortar	1/4" LOW TEMPERATURE CURE EPOXY, TROWEL APPLIED MORTAR Cures as low as 32°F. LT Primer Required, not included. LT Topcoat Recommended.	10184	GRAY	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10185	GRAY	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10186	TILE RED	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10187	TILE RED	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
330 LT Patch Kit	1/4" LOW TEMP. CURE EPOXY (32°F), TROWEL APPLIED MORTAR Single batch of 330 LT, with primer, packaged in a five gallon pail.	10188	GRAY	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
		10189	TILE RED	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
		10854	BLACK	1 BATCH	3 days	P1A, P1B & 1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
331 Mortar	1/4" EPOXY, TROWEL APPLIED MORTAR Primer Required, not included. Topcoat Recommended.	10494	GRAY	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10495	GRAY	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
		10496	TILE RED	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	44#
		10497	TILE RED	3 BATCH	3 days	1A, 1B, 3C	48 sq. ft. @ 1/4" (250 mils)	132#
332 Repair Mortar	1/4" EPOXY, SELF-PRIMING TROWEL APPLIED MORTAR	10836	GRAY	Repair Kit	3 days	1A, 1B, 1C	4 sq. ft. @ 1/4" (250 mils)	12#
		10837	GRAY	Patch Kit	3 days	1A, 1B, 3C	16 sq. ft. @ 1/4" (250 mils)	48#
335 Slurry Mortar	1/4" EPOXY, SELF-PRIMING SLURRY MORTAR	10480	GRAY	1 BATCH	3 days	1A, 1B, 1C	20 sq. ft. @ 1/4" (250 mils)	45#
		10668	GRAY	3 BATCH	3 days	1A, 1B, 3C	60 sq. ft. @ 1/4" (250 mils)	135#
		10669	RED	1 BATCH	3 days	1A, 1B, 1C	20 sq. ft. @ 1/4" (250 mils)	45#
340 Surfacer	1/4" EPOXY, SCREED / PIN RAKE APPLIED SURFACER TOPCOAT - recommended for most applications, not included	10671	NATURAL	1 BATCH	3 days	1A, 1B, 1C, 1D	30 sq. ft. @ 1/4" (250 mils)	83#
		10672	GRAY	1 BATCH	3 days	1A, 1B, 1C, 1D	30 sq. ft. @ 1/4" (250 mils)	83#
		10673	RED	1 BATCH	3 days	1A, 1B, 1C, 1D	30 sq. ft. @ 1/4" (250 mils)	83#
340 CR Surfacer	1/4" NOVOLAC EPOXY, TROWEL APPLIED SURFACER CR TOPCOAT - recommended for most applications, not included	10674	NATURAL	1 BATCH	3 days	1A, 1B, 1C, 1D	30 sq. ft. @ 1/4" (250 mils)	83#
		10675	GRAY	1 BATCH	3 days	1A, 1B, 1C, 1D	30 sq. ft. @ 1/4" (250 mils)	83#
		10676	RED	1 BATCH	3 days	1A, 1B, 1C, 1D	30 sq. ft. @ 1/4" (250 mils)	83#
350 Grout	EPOXY GROUT, TROWEL APPLIED - 1/4" - 1.25" Primer Required, not included.	10198	NATURAL	1 BATCH	3 days	1A, 1B, 1C	8 sq. ft. @ 1/2" (500 mils)	44#
		10199	NATURAL	3 BATCH	3 days	1A, 1B, 3C	24 sq. ft. @ 1/2" (500 mils)	132#
350 LT Grout	LOW TEMP. CURE EPOXY GROUT, TROWEL APPLIED - 1/4" - 1.25" LT Primer Required, not included	10200	NATURAL	1 BATCH	3 days	1A, 1B, 1C	8 sq. ft. @ 1/2" (500 mils)	44#
		10201	NATURAL	3 BATCH	3 days	1A, 1B, 3C	24 sq. ft. @ 1/2" (500 mils)	132#
360 Tile Grout	EPOXY TILE GROUT / CRACK FILLER Three comp. bonding grout. CR And LT versions also available - contact sales.	10202	GRAY	1 BATCH	3 days	1A, 1B, 1C	1.5 gal. or 353 cu. in.	25#
		10601	CHARCOAL	1 BATCH	3 days	1A, 1B, 1C	1.5 gal. or 353 cu. in.	25#
		10203	TILE RED	1 BATCH	3 days	1A, 1B, 1C	1.5 gal. or 353 cu. in.	25#
366 Machine Grout	FLEXIBLE EPOXY EXPANSION JOINT SEALER / FLEXIBLE MEMBRANE 3:1 By Volume	10843	GRAY	8/10 Quart	3 days	1A, 1B	32 LF-1/4"X1/2"	3.2#
		10627	GRAY	1 GALLON	3 days	1A, 1B	160 LF-1/4"X1/2"	10#
370 Pourable Grout	EPOXY POURABLE GROUT LT and Fast Cure versions avail. - contact sales.	10452	NATURAL	1/3 Cubic Foot	3 days	1A, 1B, 1C	1/3 Cubic Foot	45#
		10204	NATURAL	1 Cubic Foot	3 days	1A, 1B, 3C	1 Cubic Foot	130#
370 CR Pourable Grout	NOVOLAC EPOXY POURABLE GROUT	10532	NATURAL	1/3 Cubic Foot	3 days	1A, 1B, 1C	1/3 Cubic Foot	45#
		10406	NATURAL	1 Cubic Foot	3 days	1A, 1B, 3C	1 Cubic Foot	130#
370 LT Pourable Grout	LOW TEMP. CURE EPOXY POURABLE GROUT	10897	NATURAL	1/3 Cubic Foot	3 days	1A, 1B, 1C	1/3 Cubic Foot	45#
		10898	NATURAL	1 Cubic Foot	3 days	1A, 1B, 3C	1 Cubic Foot	130#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
402 Scratch Coat	60-125 MIL URETHANE CEMENT SCRATCH COAT / REPAIR SURFACER Topcoat - Recommended for most applications.	10678	GRAY	1 BATCH	5 days	1A, 1B, 1C	78 sq. ft. @ 80 mils	65#
		10679	TILE RED	1 BATCH	5 days	1A, 1B, 1C	78 sq. ft. @ 80 mils	65#
440 Surfacer	1/4" URETHANE CEMENT SLURRY SURFACER - Thermal Shock Resistant No Part D supplied with this kit. (Part D is required) Topcoat - Recommended for most applications.	10646	NATURAL	1 Batch	5 days	1A, 1B, 1C, 50#D	40 sq. ft. @ 1/4" (250 mils)	95#
		10698	NATURAL	1 Batch	5 days	1A, 1B, 1C	40 sq. ft. @ 3/16" (187mils)	75#
		10699	MILKY	5 Batches	5 days	BULK - Part A	5 GALLON PAIL	45#
		10700	Unpigmented	5 Batches	5 days	BULK - Part B	5 GALLON PAIL	54#
		10701	NATURAL	1 Batch	5 days	1 Bag - Part C	BAG	50#
450 Mortar / Grout	1/4" URETHANE TROWEL APPLIED GROUT / SURFACER - Thermal Shock Resistant	10692	NATURAL	1 Batch	3 days	1A, 1B, 1C, 50#D	45 sq. ft. @ 1/4" (250 mils)	125#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
500 / 600 Series Moisture Cure Concrete Sealer	URETHANE, ONE COMPONENT, MOISTURE CURE CONCRETE PRIMER / SEALER	10210	AMBER	1 PINT	3 days	1 COMPONENT	50 sq. ft. @ 5 mils WFT	2#
		10211	AMBER	1 GALLON	3 days	1 COMPONENT	320 sq. ft. @ 5 mils WFT	9#
		10530	AMBER	5 Gallon	3 days	1 COMPONENT	1604 sq. ft. @ 5 mils WFT	45#
500 Laminate Flooring	1/4" POLYESTER LAMINATE FLOORING SYSTEM 500 / 600 Series Primer, Topcoat Additive and Bulking Tools Included. NON-RETURNABLE.	10212	GRAY	50 GAL. KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10213	GRAY	5 GAL. KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
		10214	TILE RED	50 GAL KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10215	TILE RED	5 GAL KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
550 Grout	POLYESTER TROWELABLE FILLER / PITCHING GROUT. Primer Required - Use Part A and B at proper mix ratio. 550 & 600 Series Moisture Cure Sealant also required, not included, for concrete application. Trowel applied to a maximum of 1" per lift - NON-RETURNABLE.	10216	NATURAL	55 GAL. KIT	5 days	1A, 1B, 90C, 1Set Bulk Tools	600 sq. ft. @ 1/2" (500 mils)	5000#
		10217	NATURAL	5 GAL. KIT	5 days	1A, 1B, 9C, 1Set Bulk Tools	60 sq. ft. @ 1/2" (500 mils)	500#
600 Laminate Flooring	1/4" VINYLESTER LAMINATE FLOORING SYSTEM 500 / 600 Series Primer, Topcoat Additive and Bulking Tools Included. NON-RETURNABLE.	10236	GRAY	50 GAL. KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10237	GRAY	5 GAL. KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
		10238	TILE RED	50 GAL KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10239	TILE RED	5 GAL KIT	5 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
610 Laminate Flooring	1/4" CHLORENDIC POLYESTER LAMINATE FLOORING SYSTEM 500 / 600 Series Primer, Topcoat Additive and Bulking Tools Included. NON-RETURNABLE.	10240	GRAY	50 GAL. KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10241	GRAY	5 GAL. KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
		10242	TILE RED	50 GAL KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10243	TILE RED	5 GAL KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
620 Laminate Flooring	1/4" NOVOLAC VINYLESTER LAMINATE FLOORING SYSTEM 500 / 600 Series Primer, Topcoat Additive and Bulking Tools Included. NON-RETURNABLE.	10244	GRAY	50 GAL. KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10245	GRAY	5 GAL. KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#
		10246	TILE RED	50 GAL KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	500 sq. ft. @ 1/4" (250 mils)	2000#
		10247	TILE RED	5 GAL KIT	8 days	1A, 1B, C, 1Primer, 1Topct Add., 1BT	50 sq. ft. @ 1/4" (250 mils)	225#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
622 Floor Coating / Sealer	NOVOLAC VINYLESTER FLOOR COATING (Non-returnable) May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 / 600 Series Primer, required for concrete / topcoat applications.	10680	GRAY	1 GALLON	5 days	1A, 1B	80 sq. ft. @ 20 mils	13#
		10681	GRAY	5 GALLON	5 days	1A, 1B	400 sq. ft. @ 20 mils	68#
		10682	TILE RED	1 GALLON	5 days	1A, 1B	80 sq. ft. @ 20 mils	13#
		10683	TILE RED	5 GALLON	5 days	1A, 1B	400 sq. ft. @ 20 mils	68#
642 AR Coating System	HEAVY DUTY ABRASION RESISTANT HIGH TEMPERATURE NOVOLAC VINYLESTER COATING SYSTEM - NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 / 600 SERIES PRIMER, required for concrete applications.	10556	DARK GRAY	1 GALLON	5 days	1A, 1B	40 sq. ft. @ 40 mils	13#
		10557	DARK GRAY	5 GALLON	5 days	1A, 1B	200 sq. ft. @ 40 mils	65#
		10558	CHARCOAL	1 GALLON	5 days	1A, 1B	40 sq. ft. @ 40 mils	13#
		10559	CHARCOAL	5 GALLON	5 days	1A, 1B	200 sq. ft. @ 40 mils	65#
650 Coating System	VINYLESTER COATING NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 / 600 SERIES PRIMER, required for concrete applications.	10218	GRAY	1 GALLON	5 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10219	GRAY	5 GALLON	5 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10220	TILE RED	1 GALLON	5 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10221	TILE RED	5 GALLON	5 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10222	CREAM	1 GALLON	5 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10223	CREAM	5 GALLON	5 days	1A, 1B	220 sq. ft. @ 30 mils	65#
651 Coating System	CHLORENDIC POLYESTER COATING NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 / 600 SERIES PRIMER, required for concrete applications.	10224	GRAY	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10225	GRAY	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10226	TILE RED	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10227	TILE RED	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10228	CREAM	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10229	CREAM	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#
652 Coating System	NOVOLAC VINYLESTER COATING NON-RETURNABLE May be thinned up to 10%, w/ Methyl Ethyl Ketone, for application. 500 / 600 SERIES PRIMER, required for concrete applications.	10230	GRAY	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10231	GRAY	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10232	TILE RED	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10233	TILE RED	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#
		10234	CREAM	1 GALLON	8 days	1A, 1B	55 sq. ft. @ 30 mils	13#
		10235	CREAM	5 GALLON	8 days	1A, 1B	220 sq. ft. @ 30 mils	65#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
660 Coving	1/8" VINYLESTER, TROWEL APPLIED COVING. NON-RETURNABLE - PRIMER AND VEILCOAT REQUIRED - 500 / 600 Series Moisture Cure Sealer - required for concrete substrates.	10504	GRAY	1 BATCH	5 days	1A, 1B, 1C	4" cove - 30LF/batch, 6" cove - 24LF/batch	15#
660 Liner	1/8" VINYLESTER, TROWEL APPLIED LINER. NON-RETURNABLE - PRIMER AND VEILCOAT REQUIRED - 500 / 600 Series Moisture Cure Sealer - required for concrete substrates.	10248	CHARCOAL	1 BATCH	5 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	15#
660 Primer	PRIMER for 660 LINER, REQUIRED	10249	Unpigmented	1 QUART	5 days	1A, 1B	50 sq. ft. @ 8 mils	3#
660 Veilcoat	VEILCOAT FOR 660 LINER, REQUIRED	10250	Unpigmented	1 QUART	5 days	1A, 1B	50 sq. ft. @ 8 mils	3#
661 Liner	1/8" CHLORENDIC POLYESTER, TROWEL APPLIED LINER. NON-RETURNABLE - PRIMER AND VEILCOAT REQUIRED - 500 / 600 Series Moisture Cure Sealer - required for concrete substrates.	10251	CHARCOAL	1 BATCH	8 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	15#
661 Primer	PRIMER for 661 LINER, REQUIRED	10252	Unpigmented	1 QUART	8 days	1A, 1B	50 sq. ft. @ 8 mils	3#
661 Veilcoat	VEILCOAT FOR 661 LINER, REQUIRED	10253	Unpigmented	1 QUART	8 days	1A, 1B	50 sq. ft. @ 8 mils	3#
662 Liner	1/8" NOVOLAC VINYLESTER, TROWEL APPLIED LINER. NON-RETURNABLE - PRIMER AND VEILCOAT REQUIRED - 500 / 600 Series Moisture Cure Sealer - required for concrete substrates.	10254	CHARCOAL	1 BATCH	8 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	15#
662 Primer	PRIMER for 662 LINER, REQUIRED	10255	Unpigmented	1 QUART	8 days	1A, 1B	50 sq. ft. @ 8 mils	3#
662 Veilcoat	VEILCOAT FOR 662 LINER, REQUIRED	10256	Unpigmented	1 QUART	8 days	1A, 1B	50 sq. ft. @ 8 mils	3#
670	VINYLESTER POURABLE GROUT - Minimum Thickness 1.5" - NOT RETURNABLE.	10257	NATURAL	55 GAL. KIT	5 days	1A, 1B, 90C, 1Set Bulk Tools	27 CUBIC FEET.	4000#
Pourable Grout	500 / 600 Series Moisture Cure Concrete Sealer, not included, required for concrete application.	10258	NATURAL	5 GAL. KIT	5 days	1A, 1B, 9C, 1Set Bulk Tools	2.7 CUBIC FEET.	420#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
700 Coating	WATER BASED EPOXY - VAPOR TRANSMISSION FLOOR COATING / SEALER - semi-self leveling	10444	GRAY	1 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils Wet Film Thickness	10#
		10445	GRAY	3 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils Wet Film Thickness	30#
		10446	LIGHT GRAY	1 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils Wet Film Thickness	10#
		10447	LIGHT GRAY	3 GALLON	3 days	1A, 1B	80 sq. ft. @ 20 mils Wet Film Thickness	30#
702 Sealer / Scratch Coat	URETHANE MODIFIED WATER BASED EPOXY- PORTLAND CEMENT SEALER / SCRATCH COAT	10684	GRAY	1 BATCH	3 days	1A, 1B, 1C	55 sq. ft. @ 80 mils	45#
		10685	RED	1 BATCH	3 days	1A, 1B, 1C	55 sq. ft. @ 80 mils	45#
703 Coating	WATER BASED EPOXY COATING Satin Finish w/ Improved Hot Tire Pick-Up Resistance	10910	CLEAR	1 GALLON	3 days	1A, 1B	178 sq. ft. @ 9 mils WFT	10#
		10911	CLEAR	5 GALLON	3 days	1A, 1B	890 sq. ft. @ 9 mils WFT	50#
		10912	GRAY	1 GALLON	3 days	1A, 1B	178 sq. ft. @ 9 mils WFT	10#
		10913	GRAY	5 GALLON	3 days	1A, 1B	890 sq. ft. @ 9 mils WFT	50#
730 Primer	WATER BASED EPOXY PRIMER	10882	AMBER	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	3.5#
732 Mortar	1/4" WATER BASED EPOXY, SELF-PRIMING - TROWEL APPLIED	10878	GRAY	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
		10879	TILE RED	1 BATCH	3 days	1A, 1B, 1C	16 sq. ft. @ 1/4" (250 mils)	45#
734 Mortar	HIGH TEMPERATURE RESISTANT FLOOR COATING EPOXY / PORTLAND CEMENT BASED	10883	GRAY	1 BATCH	3 days	1A, 1B, 1C	8 sq. ft. @ 1/2" (500 mils)	45#
		10884	TILE RED	1 BATCH	3 days	1A, 1B, 1C	8 sq. ft. @ 1/2" (500 mils)	45#
740 Surfacer	1/4" URETHANE MODIFIED WATER BASED EPOXY-PORTLAND CEMENT SLURRY SURFACER - Thermal Shock Resistant Sealer - 700 Floor Coating - Recommended for most applications.	10598	NATURAL	1 Batch	3 days	1A, 1B, 1C & 50#D	40 sq. ft. @ 1/4" (250 mils)	120#
		10596	GRAY	1 Batch	3 days	1A, 1B, 1C & 50#D	40 sq. ft. @ 1/4" (250 mils)	120#
		10597	TILE RED	1 Batch	3 days	1A, 1B, 1C & 50#D	40 sq. ft. @ 1/4" (250 mils)	120#
765 TILE GROUT	WATER BASED EPOXY- PORTLAND CEMENT TILE GROUT FAST CURE - Water Tolerant	10885	DARK GRAY	1 BATCH	3 days	1A, 1B, 1C	Approx 235 Cubic Inches	14#
		10886	BLACK	1 BATCH	3 days	1A, 1B, 1C	Approx 235 Cubic Inches	14#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
805 AR TOPCOAT	Abrasion Resistant Topcoat	19678	GRAY	1 GALLON	3 days	1A, 1B	100 sq. ft. @ 16 mils	12#
		19679	GRAY	3 GALLON	3 days	1A, 1B	300 sq. ft. @ 16 mils	36#
810 AR Coating	ABRASION RESISTANT BRUSH/ROLLER APPLIED CERAMIC COMPOSITE COATING	10567	GRAY	PINT	3 days	1A, 1B	6.5 sq. ft. @ 30 mils	1.9#
		10568	BLACK	PINT	3 days	1A, 1B	6.5 sq. ft. @ 30 mils	1.9#
		10569	GRAY	QUART	3 days	1A, 1B	13 sq. ft. @ 30 mils	3.8#
		10570	BLACK	QUART	3 days	1A, 1B	13 sq. ft. @ 30 mils	3.8#
		10571	GRAY	GALLON	3 days	1A, 1B	54 sq. ft. @ 30 mils	15.5#
		10572	BLACK	GALLON	3 days	1A, 1B	54 sq. ft. @ 30 mils	15.5#
		10573	GRAY	5 GALLON	3 days	1A, 1B	270 sq. ft. @ 30 mils	79#
		10574	BLACK	5 GALLON	3 days	1A, 1B	270 sq. ft. @ 30 mils	79#
811 AR FILLER	VISCOUS ABRASION RESISTANT EPOXY FILLER & FARING COMPOUND	19680	GRAY	8/10 QUART	3 days	1A, 1B, 1C	6 Sq. Ft. @ 60 MILS	4#
813 AR Compound	ABRASION RESISTANT TOOL APPLIED CERAMIC COMPOSITE COMPOUND.	10914	GRAY	8/10 QT	3 days	1A, 1B, 1C	2.6 sq. ft. @ 1/8"	5#
		10915	GRAY	1 GALLON	3 days	1A, 1B, 1C	Approx. 13 sq. ft. @ 1/8"	19#
		10916	GRAY	3 GALLON	3 days	1A, 1B, 1C	Approx. 39 sq. ft. @ 1/8"	58#
818 AR Compound	ABRASION RESISTANT TOOL APPLIED CERAMIC COMPOSITE COMPOUND.	10577	GRAY	8/10 QT	3 days	1A, 1B, 1C	1.3 sq. ft. @ 1/4"	5#
		10578	GRAY	1 GALLON	3 days	1A, 1B, 1C	Approx. 6.5 sq. ft. @ 1/4"	19#
		10579	GRAY	3 GALLON	3 days	1A, 1B, 1C	Approx. 19.5 sq. ft. @ 1/4"	58#
830 AR Primer	Primer for 830	10583	AMBER	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	3.5#
		10584	AMBER	1 GALLON	3 days	1A, 1B	200 sq. ft. @ 8 mils	14#
830 AR Mortar	ABRASION RESISTANT TROWEL APPLIED CERAMIC COMPOSITE MORTAR PRIMER REQUIRED, not included	10580	CARBIDE GRAY	1/4 BATCH	3 days	1A, 1B, 1C	2 sq. ft. @ 1/2" (250 mils)	14#
		10581	CARBIDE GRAY	1 BATCH	3 days	1A, 1B, 1C	8 sq. ft. @ 1/2" (250 mils)	51#
		10582	CARBIDE GRAY	3 BATCH	3 days	1A, 1B, 3C	24 sq. ft. @ 1/2" (250 mils)	153#
860 AR Primer	EPOXY PRIMER for 860 LINER	10590	Unpigmented	1 QUART	3 days	1A, 1B	50 sq. ft. @ 8 mils	4#
860 AR Liner	1/8" ABRASION RESISTANT TROWEL APPLIED CERAMIC COMPOSITE LINER PRIMER REQUIRED, not included. VEILCOAT RECOMMENDED	10689	CARBIDE GRAY	1/4 BATCH	3 days	1A, 1B, 1C	3 sq. ft. @ 1/8" (125 mils)	22#
		10586	CARBIDE GRAY	1 BATCH	3 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	22#
		10587	CARBIDE GRAY	2 BATCH	3 days	1A, 1B, 1C	25 sq. ft. @ 1/8" (125 mils)	44#
860 AR HT Liner	1/8" ABRASION RESISTANT TROWEL APPLIED CERAMIC COMPOSITE LINER PRIMER REQUIRED, not included. VEILCOAT RECOMMENDED	10588	CARBIDE GRAY	1 BATCH	3 days	1A, 1B, 1C	12.5 sq. ft. @ 1/8" (125 mils)	22#
		10589	CARBIDE GRAY	2 BATCH	3 days	1A, 1B, 1C	25 sq. ft. @ 1/8" (125 mils)	44#
870 AR Grout	ABRASION RESISTENT EPOXY CASTABLE CERAMIC COMPOSITE GROUT	10591	CARBIDE GRAY	1/3 Cubic Foot	3 days	1A, 1B, 1C	1/3 Cubic Foot	52#
		10592	CARBIDE GRAY	1 Cubic Foot	3 days	1A, 1B, 3C	1 Cubic Foot	156#

Product Number	Product Description	Item #	Color	Package Size	Lead Time	Package Configuration	Coverage Rate	Approximate Shipping Weight
Aggregate	100 MESH BROADCAST	10261	NATURAL	100 MESH	3 days	Aggregate	50# Bag	50#
Aggregate	70 MESH BROADCAST	10396	NATURAL	70 MESH	3 days	Aggregate	50# Bag	50#
Aggregate	50 MESH BROADCAST	10262	NATURAL	50 MESH	3 days	Aggregate	50# Bag	50#
Aggregate	30 MESH BROADCAST	10263	NATURAL	30 MESH	3 days	Aggregate	50# Bag	50#
Aggregate	COLORQUARTZ BLACK	10264	BLACK	30 Mesh	3 days	Aggregate	50# Bag	50#
Aggregate	COLORQUARTZ BUFF	10265	BUFF	30 Mesh	3 days	Aggregate	50# Bag	50#
Aggregate	COLORQUARTZ GRAY	10070	GRAY	30 Mesh	3 days	Aggregate	50# Bag	50#
Aggregate	COLORQUARTZ RED	10071	RED	30 Mesh	3 days	Aggregate	50# Bag	50#
Aggregate	COLORQUARTZ WHITE	10268	WHITE	30 Mesh	3 days	Aggregate	50# Bag	50#
Aggregate	16 MESH NATURAL	10269	NATURAL	16 MESH	3 days	Aggregate	50# Bag	50#
Aggregate	16 MESH GRAY	10270	GRAY	16 MESH	3 days	Aggregate	50# Bag	50#
Aggregate	16 MESH RED	10271	RED	16 MESH	3 days	Aggregate	50# Bag	50#
Aggregate	14 MESH NATURAL	10272	NATURAL	14 MESH	3 days	Aggregate	50# Bag	50#
Aggregate	1/4 X 1/8 NATURAL	10209	NATURAL	1/4"x1/8"	3 days	Pea Gravel	50# Bag	50#
Aggregate	SharkSkin	10476	Colorless	SharkSkin	3 days	175 Mesh	1# Package	1#
Alum. Strips		10273	Aluminum	6' Piece	3 days	1 EA	6 Lineal Feet	0.5#